

ROSE



ANY QUESTIONS?

technik@rosebikes.com


ROSE Bikes GmbH
Schersweide 4
46395 Bocholt, Germany

B L A C K L A V A

FRAME DETAILS

BLACK LAVA


FRAME DETAILS



POS.	DESCRIPTION	SPECIFICATIONS	ART. NR.
1	frame	Highstep matt black	2335863
		Highstep matt light blue	2335864
		Midstep matt black	2335865
		Midstep matt light blue	2335866
2	derailleur hanger		227553301

BLACK LAVA

FRAME DETAILS



FRAME INTERFACES

BOTTOM BRACKET	BSA 68 mm
FRONT WHEEL AXLE	100 x 12 mm, Art. No. 227585701
REAR WHEEL AXLE	135 x 5 mm QR
FRONT BRAKE MOUNT	160 mm postmount
REAR BRAKE MOUNT	160 mm postmount
MAX Ø DISC	front: 180 mm / rear: 160 mm
Ø SEATPOST	30.9 mm
MAX. TIRE SIZE	28": 50 mm
MAX. CHAINRING SIZE	50T
FRONT DERAILLEUR MOUNT	yes
BOTTLE CAGE	high step: 2x / mid step: 1x

MAX SYSTEM WEIGHT (RIDER + BICYCLE + CLOTHING + GEAR + LUGGAGE): 130 KG

FRAME GEOMETRY

		19	21	23	25
SEATTUBE LENGTH [MM]	A	473	523	574	625
TOPTUBE LENGTH HORIZONTAL [MM]	B	572	585	598	610
HEADTUBE LENGTH [MM]	C	140	155	172	190
HEAD TUBE ANGLE	D	69,5°	70°	70°	70°
SEAT TUBE ANGLE	E	73°	73°	73°	73°
BB DROP [MM]	F	65	65	65	65
REAR CENTER [MM] (CHAINSTAY LENGTH)	G	458	458	458	458
WHEELBASE [MM]	H	1089,4	1097,6	1111,6	1124,5
REACH	K	381,8	389,9	398	404,8
STACK	L	622	638,4	654,3	671,2
FORK LENGTH [MM]	U	468	468	468	468